

# Release Notes for MPLAB® Code Configurator PIC10/PIC12/PIC16/PIC18 library v1.81.7

## 1 What is MPLAB Code Configurator PIC10/PIC12/PIC16/PIC18 library

The PIC10-PIC12-PIC16-PIC18 library enables to use newer 8-bit MCU devices and its modules.

## 2 System Requirements

- MPLAB® X IDE v5.45 or later
- XC8 compiler v2.31 or later
- MCC Plugin v4.0.2 or later
- MCC Core v5.0.2 or later

## 3 Installing MPLAB® Code Configurator PIC10-PIC12-PIC16-PIC18 library

Basic steps for installing MPLAB® Code Configurator needs to be installed as below.

### To install the MPLAB® Code Configurator Plugin:

1. In the MPLAB® X IDE, select **Plugins** from the Tools menu
2. Select the **Available Plugins** tab
3. Check the box for the MPLAB® Code Configurator, and click on **Install**

### To install the PIC10-PIC12-PIC16-PIC18 library

1. Open the MPLAB Code Configurator page: <https://www.microchip.com/mplab/mplab-code-configurator>
2. Scroll to the bottom of the page and select the **Current Downloads** tabs
3. Download **PIC10-PIC12-PIC16-PIC18 MCUs (PIC10-PIC12-PIC16-PIC18-1.81.7.mc3lib)**
4. In the MPLAB® X IDE, select **Options** from the **Tools** menu
5. Select **MPLAB® Code Configurator 4.x** tab from **Plugins** option
6. Click on **Install Library**
7. Browse to the location where you saved the **PIC10-PIC12-PIC16-PIC18-1.81.7.mc3lib**, select and click Open
8. Restart MPLAB® X IDE

### To load different peripheral library version

1. Open MPLAB® Code Configurator v4 from the Tools menu
2. In Versions tab under PIC10/PIC12/PIC16/PIC18 MCUs will find the multiple library version (loaded version is indicated by the green tick)
3. Right Click on the required version of the library and select **Mark for load**
4. Click on **Load Selected Libraries** button to load the library

## 4 What's New

- PIC16F15276/75/74/56/55/54 devices support
- Bug fixes and improvements

## 5 Repairs and Enhancements

#	ID	Description	Device(s)
1.	MCU8CC-10700	FVR buffer description is wrong and confusing	PIC16(L)F177x
2.	MCCV3XX-10046	UART reload issue with module pin configuration	PIC18FxxQ10
3.	MCCV3XX-10050	Incorrect warnings while using TMR1/3 with CLC module	PIC18FxxQ40

## 6 Known Issues

#	ID	Description	Device(s)
1.	MCCV3XX-10172	Incorrect TMR1 PPS settings	PIC16(L)F1538x
2.	MCCV3XX-10154	SPI Registers view: Bit field names are not getting updated	PIC18(L)FxxK42
3.	MCU8CUST-7642	MCC not showing all segments for LCD	PIC16(L)F191xx

## 7 Frequently Asked Questions

For frequently asked questions, please refer to the FAQ post on the [MCC Forum](http://www.microchip.com/forums/f293.aspx)  
[\(http://www.microchip.com/forums/f293.aspx\)](http://www.microchip.com/forums/f293.aspx)

## 8 Supported Families

The MCC PIC10-PIC12-PIC16-PIC18 Library supports the following families.  
[\(http://www.microchip.com/paramchartsearch/chart.aspx?branchid=30048\)](http://www.microchip.com/paramchartsearch/chart.aspx?branchid=30048)

The full list of devices is in Section 10.

- PIC10(L)F32x
- PIC12/16F75x
- PIC16(L)F145x
- PIC12/16(L)F150x
- PIC16(L)F151x
- PIC16(L)F152x
- PIC12/16LF155x
- PIC16(L)F156x
- PIC12/16(L)F157x
- PIC12/16(L)F161x

- PIC16F170x
- PIC16(L)F171x
- PIC16(L)F176x
- PIC16(L)F177x
- PIC16(L)F178x
- PIC12/16(L)F182x
- PIC12/16(L)F184x
- PIC16LF190x
- PIC16(L)F193x
- PIC16(L)F194x
- PIC16(L)F153xx
- PIC16(L)F183xx
- PIC16(L)F184xx (PIC16(L)F185x)
- PIC16(L)F188xx
- PIC16(L)F191xx
- PIC16F152xx
- PIC18(L)FxxJ13
- PIC18(L)FxxJ53
- PIC18F1xK22
- PIC18F2x/4xK20
- PIC18F2x/4xK22
- PIC18(L)F6x/8xK22
- PIC18(L)F2x/4xK40
- PIC18(L)F2x/4x/5xK42
- PIC18F2x/4x/5xQ10
- PIC18F1xK50
- PIC18F2x/4xK50
- PIC18F9x/8x/6xJ60
- PIC18(L)F2x/4x/6xK80
- PIC18(L)F2x/4xK83
- PIC18(L)F6x/8xK90
- PIC18FxxQ43
- PIC18FxxQ83
- PIC18FxxQ84
- PIC18FxxQ40
- PIC18FxxQ41

## 9 Customer Support

### 9.1 The Microchip Web Site

Microchip provides online support via our web site at <http://www.microchip.com>. This web site is used as a means to make files and information easily available to customers. Accessible by using your favorite Internet browser, the web site contains the following information:

- Product Support – Data sheets and errata, application notes and sample programs, design resources, user's guides and hardware support documents, latest software releases and archived software
- General Technical Support – Frequently Asked Questions (FAQs), technical support requests, online discussion groups/forums (<http://forum.microchip.com>), Microchip consultant program member listing
- Business of Microchip – Product selector and ordering guides, latest Microchip press releases, listing of seminars and events, listings of Microchip sales offices, distributors and factory representatives

### 9.2 Additional Support

Users of Microchip products can receive assistance through several channels:

- Distributor or Representative

- Local Sales Office
- Field Application Engineering (FAE)
- Technical Support

Customers should contact their distributor, representative or field application engineer (FAE) for support. Local sales offices are also available to help customers. A listing of sales offices and locations is available on our web site.

Technical support is available through the web site at: <http://support.microchip.com>

## 10 Appendix: Supported Devices

The MCC pc10-pic12-pic16-pic18 library supports the following **439** devices.

### General Purpose MCUs

- PIC10(L)F320
- PIC10(L)F322
- PIC12F/HV752
- PIC16F/HV753
- PIC12(L)F1501
- PIC12LF1552
- PIC12(L)F1571
- PIC12(L)F1572
- PIC12(L)F1612
- PIC12(L)F1822
- PIC12(L)F1840
- PIC16(L)F1503
- PIC16(L)F1507
- PIC16(L)F1508
- PIC16(L)F1509
- PIC16(L)F1512
- PIC16(L)F1513
- PIC16(L)F1516
- PIC16(L)F1517
- PIC16(L)F1518
- PIC16(L)F1519
- PIC16(L)F1526
- PIC16(L)F1527
- PIC16LF1554
- PIC16LF1559
- PIC16LF1566
- PIC16LF1567
- PIC16(L)F1574
- PIC16(L)F1575
- PIC16(L)F1578
- PIC16(L)F1579
- PIC16(L)F1613
- PIC16(L)F1614
- PIC16(L)F1615
- PIC16(L)F1618
- PIC16(L)F1619
- PIC16(L)F1703
- PIC16(L)F1704
- PIC16(L)F1705
- PIC16(L)F1707
- PIC16(L)F1708
- PIC16(L)F1709
- PIC16(L)F1713
- PIC16(L)F1716
- PIC16(L)F1717
- PIC16(L)F1718
- PIC16(L)F1719
- PIC16(L)F1764
- PIC16(L)F1765
- PIC16(L)F1768
- PIC16(L)F1769
- PIC16(L)F1773
- PIC16(L)F1776
- PIC16(L)F1777
- PIC16(L)F1777
- PIC16(L)F1778
- PIC16(L)F1779
- PIC16(L)F1782
- PIC16(L)F1783
- PIC16(L)F1784
- PIC16(L)F1786
- PIC16(L)F1787
- PIC16(L)F1788
- PIC16(L)F1789
- PIC16(L)F1823
- PIC16(L)F1824
- PIC16(L)F1825
- PIC16(L)F1826
- PIC16(L)F1827
- PIC16(L)F1828
- PIC16(L)F1829
- PIC16(L)F1847
- PIC16F15213
- PIC16F15214
- PIC16F15223
- PIC16F15224
- PIC16F15225
- PIC16F15243
- PIC16F15244
- PIC16F15245
- **PIC16F15254\***
- **PIC16F15255\***

- **PIC16F15256**
  - **PIC16F15274**
  - **PIC16F15275**
  - **PIC16F15276**
  - PIC16(L)F15313
  - PIC16(L)F15323
  - PIC16(L)F15324
  - PIC16(L)F15325
  - PIC16(L)F15344
  - PIC16(L)F15345
  - PIC16(L)F15354
  - PIC16(L)F15355
  - PIC16(L)F15356
  - PIC16(L)F15375
  - PIC16(L)F15376
  - PIC16(L)F15385
  - PIC16(L)F15386
  - PIC16(L)F18313
  - PIC16(L)F18323
  - PIC16(L)F18324
  - PIC16(L)F18325
  - PIC16(L)F18326
  - PIC16(L)F18344
  - PIC16(L)F18345
  - PIC16(L)F18346
  - PIC16(L)F18424
  - PIC16(L)F18425
  - PIC16(L)F18426
  - PIC16(L)F18444
  - PIC16(L)F18445
  - PIC16(L)F18446
  - PIC16(L)F18455
  - PIC16(L)F18456
  - PIC16(L)F18854
  - PIC16(L)F18855
  - PIC16(L)F18856
  - PIC16(L)F18857
  - PIC16(L)F18875
  - PIC16(L)F18876
  - PIC16(L)F18877
  - PIC18(L)F26J13
  - PIC18(L)F27J13
  - PIC18(L)F46J13
  - PIC18(L)F47J13
  - PIC18F23K20
  - PIC18F24K20
  - PIC18F25K20
  - PIC18F26K20
  - PIC18F43K20
  - PIC18F44K20
  - PIC18F45K20
  - PIC18F46K20
  - PIC18(L)F13K22
  - PIC18(L)F14K22
  - PIC18(L)F23K22
  - PIC18(L)F24K22
  - PIC18(L)F25K22
  - PIC18(L)F26K22
  - PIC18(L)F43K22
  - PIC18(L)F44K22
  - PIC18(L)F45K22
  - PIC18(L)F46K22
  - PIC18F65K22
  - PIC18F66K22
  - PIC18F67K22
  - PIC18F85K22
  - PIC18F86K22
  - PIC18F87K22
  - PIC18(L)F24K40
  - PIC18(L)F25K40
  - PIC18(L)F26K40
  - PIC18(L)F27K40
  - PIC18(L)F45K40
  - PIC18(L)F46K40
  - PIC18(L)F47K40
  - PIC18(L)F65K40
  - PIC18(L)F66K40
  - PIC18(L)F67K40
  - PIC18(L)F24K42
  - PIC18(L)F25K42
  - PIC18(L)F26K42
  - PIC18(L)F27K42
  - PIC18(L)F45K42
  - PIC18(L)F46K42
  - PIC18(L)F47K42
  - PIC18(L)F55K42
  - PIC18(L)F56K42
  - PIC18(L)F57K42
  - PIC18F24Q10
  - PIC18F25Q10
  - PIC18F26Q10
  - PIC18F27Q10
  - PIC18F45Q10
  - PIC18F46Q10
  - PIC18F47Q10
  - PIC18F25Q43
  - PIC18F26Q43
  - PIC18F27Q43
  - PIC18F45Q43
  - PIC18F46Q43
  - PIC18F47Q43
  - PIC18F55Q43
  - PIC18F56Q43
  - PIC18F57Q43
  - PIC18F16Q40
  - PIC18F15Q40
  - PIC18F14Q40
  - PIC18F06Q40
  - PIC18F05Q40
  - PIC18F04Q40
  - PIC18F16Q41
  - PIC18F15Q41
  - PIC18F14Q41
  - PIC18F06Q41
  - PIC18F05Q41
  - PIC18F04Q41
- USB MCUs**
- PIC16(L)F1454
  - PIC16(L)F1455
  - PIC16(L)F1459
  - PIC18(L)F26J53

- PIC18(L)F27J53
  - PIC18(L)F46J53
  - PIC18(L)F47J53
  - PIC18(L)F13K50
  - PIC18(L)F14K50
  - PIC18(L)F24K50
  - PIC18(L)F25K50
  - PIC18(L)F45K50
  - PIC16(L)F19155
  - PIC16(L)F19156\*
  - PIC16(L)F19175
  - PIC16(L)F19176
  - PIC16(L)F19185
  - PIC16(L)F19186
  - PIC16(L)F19195
  - PIC16(L)F19196
  - PIC16(L)F19197
  - PIC18F65K90
  - PIC18F66K90
  - PIC18F67K90
  - PIC18F85K90
  - PIC18F86K90
  - PIC18F87K90
  - PIC18(L)F25K80
  - PIC18(L)F26K80
  - PIC18(L)F45K80
  - PIC18(L)F46K80
  - PIC18(L)F65K80
  - PIC18(L)F66K80
  - PIC18(L)F25K83
  - PIC18(L)F26K83
  - PIC18F26Q83\*
  - PIC18F27Q83
  - PIC18F46Q83\*
  - PIC18F47Q83
  - PIC18F56Q83\*
  - PIC18F57Q83
  - PIC18F26Q84\*
  - PIC18F27Q84
  - PIC18F46Q84\*
  - PIC18F47Q84
  - PIC18F56Q84\*
  - PIC18F57Q84
- LCD MCUs**
- PIC16LF1902
  - PIC16LF1903
  - PIC16LF1904
  - PIC16LF1906
  - PIC16LF1907
  - PIC16(L)F1933
  - PIC16(L)F1934
  - PIC16(L)F1936
  - PIC16(L)F1937
  - PIC16(L)F1938
  - PIC16(L)F1939
  - PIC16(L)F1946
  - PIC16(L)F1947
- CAN MCUs**
- PIC18F66J60
  - PIC18F66J65
  - PIC18F67J60
  - PIC18F86J60
  - PIC18F86J65
  - PIC18F87J60
  - PIC18F96J60
  - PIC18F96J65
  - PIC18F97J60
- Ethernet MCUs**
- 

\*These devices will be supported in future releases of Device Family Packs (DFPs).